8244872

Limited Liability Company "Leader Elite KG" Kyrgyz Republic, Bishkek, 8 mkr.40/120, tel.+996776802208

8244872

Commercial offer

In 2016, the company LLC Leader Elite KG purposefully developed the basis for the production of graphene in semi-industrial conditions. The first successful result of obtaining graphene at the nanometric level was in 2017, the excellent results of which were confirmed by the Moscow Institute of the Graphite Research Institute (Russia). The samples of graphene obtained by us fully comply with the standards for industrial production and its further export to technologically advanced foreign countries.

Graphene is a composite particle of graphite, one atom thick, with a structure consisting of a hexagonal crystal lattice. The prospects for its application are obvious in almost all industries, including space, military, aviation, electrical engineering, electronics, metallurgy and many other fields.

The technology is based on liquid-phase ultrasonic exfoliation without chemical 8244872 functionalization. This ensures:

- Stable particle size (5-20 microns);
- 1-3 layers per fragment (FLG);
- Purity 99.98%;

244872 · 8244872

244872

- High electrical conductivity (105-106 Cm/m);
- thermal conductivity up to 3000 W/m-K;
- 8244872 : 8244872 • low defect rate (ID/IG < 0.5 according to Raman);
- The absence of harmful impurities is an environmentally friendly process.

Price offer (financial model)

Prices are negotiable

Currently, the company has produced 300 kilograms of high-quality graphene. In the future, as this graphene is integrated into production processes, the company plans to expand its equipment and boost production capacity to 1,000 kilograms per month. Furthermore, in the upcoming months, the company intends to increase graphene production to 2,000 kilograms or more per month, depending on sales volume and the availability of financial resources.

In light of the above, the company is fully prepared to cooperate with all interested 5244872 : 8244872 parties and potential partners.

· 8244872 · 8244872 · 8244872

General Director LLC "Leader betkan.
8244872
8244872
8244872 Sh. Mambetkaliev

3244872 : 8244872



Job Ref.: 2000251

Client / Sender:

Клиент:

«LIDER ELIT KG» LLC «ОсОО «Лидер Элит КС»

Place of inspection: Место инспекции:

8244872

Toktogul St. 247/12, Bishkek, Kyrgyzstan Кыргызстан, г. Бишкек, ул. Токтогула 247/12

8244872 : 8244872

Quantity as declared by client: Количество согласно заявлению кпиента:

54 kilograms and 927 grams 54 килограмма и 927 граммов

Dates of inspection: Даты проведения инспекции:

02.03.2024

824487;

8244872

8244872

Продукт (как заявлено клиентом):

Graphene Графен

This inspection report has been prepared in accordance with the received instructions on 01.03.2024 from "Lider Elit KG" LLC (referred to herein as "client"). As per the client's instruction SGS Bishkek LLC has carried out inspection, encompassing the following scope:

Инспекционный стчет подготовлен в соответствии с полученными инструкциями от 01.03.2024 года от Осоо "Лидер Элит КГ" (далее именуемого "клиентом"). В соответствии с инструкциями клиента, OcOO «СЖС Бишкек» (далее - "SGS") провел инспекцию, охватывающий следующий объем работ

- Visual inspection of the product's condition at the storage site Визуальный осмотр состояния продукции на площадке хранения;
 - Counting the number of packets with the product. Подсчет количества мешков с продуктом
 - Ventication of calibration certificates for weighing equipment on site, inspection of the condition of scales before weighing,* Проверка сертификатов-поверки весоизмерительного оборудования на месте хранения,

осмотр состояния весов перед взвешиванием: 🕟

82₄₄₈₇₂ : 82₄₄₈₇₂

Observing the weighing of each packet with the product, Наблюдение за взвешиванием каждого мешка с продуктом:

The Jacobsens of the Cooperty angles is General Conditions of Structure and high Alexander content Conditions aspx. Attention is drawn to the lentation of habity, indemnetication and presdiction essives detailed tremat

This discussed in a such by the Company andreas General Conceives of Surviva across the at https://www.sus-conversiones-and-conditions. Attention is discovered by the Surviva across the sustance of which with a fundamental water and junistation and junistation issues colored from the

Any under of the document is advised that information contained in the congruence to congruence the true of its intervention only and within the limits of conditions of the company's sole insponsibility is to the larger than the contained that the congruence is a transaction from exercising all their contained only after the variation from exercising all their contained only after the variation documents. Any under one of the document is an well as the contained of approximation of the contained of the document is an aveilable. 8244872 : 8244872 and offenders may be prosecuted to the foliest extent of the law

· 8₂₄₄₈₇₂

8244872



3244872


8244872


VISUAL INSPECTION - PACKING.

ВИЗУАЛЬНЫЙ ОСМОТР - УПАКОВКА.

At the time of inspection, the goods were packed in polypropylene bags. The product, intended for export, was stored at the client's warehouse in Bishkek, 247/12 Toktogul Street. The SGS representative visually inspected the bags to ensure that they were packed and undamaged

На момент проведения инспекции продукт был упакован в полипропиленовые мешки. Продукт, предназначенный для экспорта, хранился на складе клиента в г. Бишкек по ун. Токтогула 247/12 В ходе инспекции представителем SGS было визуально проверено целостность упаковки с продуктом.





82₄₄₈₇₂ · 82₄₄₈₇₂

cardboard 1-2: Polypropylene bags with seals. neatly packed into a Фотографии 1-2: Полипропиленовые мешки с пломбами, расфасованные в гофрокартонную карабку. 🔀

2. DETERMINATION OF PRODUCT QUANTITY ОПРЕДЕЛЕНИЕ КОЛИЧЕСТВА ПРОДУКТА "

At the warehouse of LLC "Lider Elit KG", an inspection of graphicne (as declared by the client) was carried out, amounting to 54.9 kg. The product was packed in polypropylene bags. The total quantity of weighed product amounted to 77 bags. Each bag was sealed with an external seal. All detailed information regarding the weight of the product, along with the corresponding seal numbers for each individual bag, is documented in Table 1.

The determination of the weight of each bag (Photos 3-4) was conducted by employees of LLC "Lider Elit KG" under the supervision of SGS representatives on certified calibrated scales MWP-3000 with serial number 0310. Manufacturer: Korea. Measurement range: from 5 to 3,000 g. The date of the last state verification: February 19, 2024 (Certificate No. 3154 of testing equipment dated February 19, 2024). The scales were verified by an accredited organization: Bishkek Testing, Standardization, and Metrology Center

На складе клиента осуществлена инспекция графена (как заявлено клиентом) в количестве 54, 9 кг. Продукт был расфасован в полипропиленовые мешки. Общее количество взвещенного продукта составило 77 пакетов. Каждый пакет был оплембирован наружной пломбей. Вся подробная информация по массе продукта с указанием номеров пломб, которые соответствуют 8₂₄₄₈₇₂ каждому отдельному пакету отражена в Таблице 1...

live document is assert by the Company under its General Construction of Serva a reconsider in http://www.cgs.com/en/Lernis and-Conditions inspec. Alternous is disease to the landation of babble, indemedication and prestriction research debuted therein

This document is served by the Company under its General Constitutes of Service accessible at http://oxivesegs.com/en/lenra-inia conditions. Attention is drawn

to be arminion of busing, indemnification and jurisdenon issuen actions therein.

Any holder of this comment is advised that information contained mercentrallees the Company's bridges at the time of its programment from exercising all their characterisms of any. The Company's solo responsibility is to as Characterism and this update many anomalic parties to a parameter from exercising all their characterisms of any. The Company's solo responsibility is to as Characteristic theory and the programment of the characterisms are considered. ments and abliget any armount to manuaction disconnects. Any consistence and all states, forgety or facilities are to the confert to mesons are of the document is enlawful and alternium case for measurable to the tallest extent of the fire 8244872 8244872 8244872

8244872

8244872 . 8244872 . 8244872

0244872


244872

Определение массы каждого мешка с продуктем (Фото 3 - 6) проводилось сотрудниками ОсОО «Пидер Элит КС» под наблюдением представителя SGS на поверенных сертифицированных весах МWР-3000 с номером № 0310. Производитель: Корея. Диапазон измерения: от 5 до 3 000 г. Дата последней гос, поверки: 19.02.2024 г. (Агтестат №3154 испытательного оборудования от 19.02.2024 г. Весы проверены аккредитованной организацией: Бишкекский центр испытаний, стандартизации и метропогии (ЦИСМ).

8244872

8244872

8244872



Photos 3-6: Procedures for weighing bags of Products. Фото 3-6: Процедура вавешивания мешков с 824 продуктом.

Triss document is issued by the Company under its General Conchans at Service accessible at http://www.sgs.com/on/Terms and Manuations aspx. After tion is

drawn to the limitation of bubbly, independence and jurishable respect debased therein.
This document is issued by the Company under its General Conditions of Service accessible at https://www.sgr.com/en/accessible and conditions of the limitation of limitaty, independence and jurishable issues defined therein.

3244872 3244872 3244872 3244872 Any holder of this document is advised that information contained frames reflects the Company's faithings at the time of its intervention only and whim the finite of charge reflects in structions, if any. The Company's sole responsibility is to its Client and this document does not expend a perfect to a transaction from exercising all their rights and obligations under the transaction documents. Any constitution are offerable, for the content or imperience of this document is unarrive.

8244872 : 8244872

Table 1:

Таблица 1;

SGS data on quantity Leader Elite KG Ltd. Данные СЖС по количеству продукта ОсОО "Лидер Элит КС

8244872

244872

· 8244872

· 8244R7.

82₄₄₈₇₂ . 82₄₄₈₇

. [L1 00	Weight in	<i>r</i> + <i>r</i>		Weight in			Weight in	
- 0-	Ne.	gtams	Seal number	Hg	grains.	Seal number	tie	grams.	Seat rumber
U44,	16-	598.0		-27	-03/04	ACTOR	. ÇJv	750 1	7-7129989 o
	1.4	977.5	A7 129955 #	28	971.2	A7129837		2164	A7129980 #
	Si C	570.1	A7129942 e	29	Ŋ5115	IA7129996	36	~~###>	A7129981 A
	<u> </u>	1227	A7129911 ×	# 30	1067-6	AF 129958	50 2	i64 1 €	AJ/129979 »
	0.4	575.1	ж7129939 г	X.31	802.6	X7129999	57.0	150.7	A7129978 kg
	-5	361 9	47129910 a	4	I this on	A713000	:41 -	1969	77125911 G
	7.	725.0	47129844	33*	4/14 D-	2.7 m. 650 4	1,65	099.1	47.129976 o
8244872 4872	1	562.7	47129043	344	5.0.1	A 12/955 e	60+	878 5	-47129974 p
	4 *	614.7	A7179938 *	200	143	A7 179951 WO	111	6714	A7:20975 ¢
	11) 🍧	<u>a. 24</u>	671,79841	362	3516	A2125950 v	5/, r	95 33100	A7129973 4
	2.1	9.500	747129845	378	7.30 9	A7125919 v	632	diel 5	A7129972 ⊌
	42	563 1	7 2129840	30-	269.0	A7128946+	6.10	219.3 =	JUNE 12/97 1-4
	13	=3 <u>4</u> 9.9	A7129842	39°	7547	#133650 A	653	8527	77 de filit o
	iii v	4)10 0	A7129945 P	10°	9837	A 12596 1	997	365 7	47.12993E V
	diam	599.2	A/12094	121,	4,925	12 17 19 19 0	1.74	31574	AT 提供联系
	154	10-5	A7129944 z	±2.v	998.1	45122761	1)) -	254.3	A7122084 =
	477.4	293 ú	A7129917 #	130	693.1	2/ 6/4	19 •	\$32.5	A712093. •
	13:	110.2	A7129943 e	3 <u>4</u> -	580.6	A212996.1 a	700	686.3	A7129982 +
	19	f 12 0	A7129831	250	324 4	A3129966 ×	7.14	5957	A7129961 *
	20	-87.1	A71298 5	167	896 !	47.12999 F. #	72	8/6 4	A 7 29962 #
	21	616.5	A7129837	_ 3	£37 (cc	43424947 6	73±	595.4	471299864
	22	7410	A7129836	9740	\$41.d	143129996. •	8gt :	737	A1129956 a
	23	362.3	A7 129324	195	2017	a7125491+_	N _{ot}	608.7	47.129959 a
	24	355.4	A7129832	::Go	897 🔍	2 199 0	As	704.5	4 125966 ×
· 8 ₂₄	25	-866 3	A7129833	325.	805 1	1.D 19901 c	11/2	782.0	A (12995) i
	26	30:0	A/120839	100	664.2	167.574.938			
	Toliti						11	53927.1	processors on the second second and state to comment or many of

This document is issued by the Company under its General Conditions for Furnigation and Pest Control Attention is drawn to the Services accessible at

limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted 8244872 : 8244872 : 8244872 to the fullest extent of the law.

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law.

Approved by Operations Manager Kyrgyzstan

8244872

8244872 : 8244872

8₂₄₄872

SGS Bishkek LLC Adilya Butabyeva